

# FLAME CUT, CAST IRON CHILLED RIM AVAILABLE SIZES



CHAIN NO.	PITCH	TYPE OF CHAIN	FLAME CUT	C.I.C.R.
25	.907	Steel Detachable	12 TO 25	6,10
32	1.157	Steel Detachable	6 TO 25	9-11,13,16,22,25,38
32	1.157	Steel Detachable	6 TO 25	9-11,13,16,22,25,38
42	1.375	Steel Detachable	6 TO 25	8,9,20,24,26
50	1.375	Steel Detachable	6 TO 25	
51	1.133	Steel Detachable	6 TO 25	11,15,17,21
62	1.908	Steel Detachable	6 TO 25	7-16,18,20,22,24
65	1.630	Steel Detachable	5 TO 25	6-24,26-28,30,32,35,36,38-40,52,58
62	1.654	Steel Detachable	6 TO 25	6-20,22,24,26,28,30,32,38,40,42,45,48
62	1.654	Steel Detachable	6 TO 25	6-20,22,24,26,28,30,32,38,40,42,45,48
62	1.654	Steel Detachable	6 TO 25	6-20,22,24,26,28,30,32,38,40,42,45,48
67	H 2.313	Steel Detachable	6 TO 15	NEED TO CALL CHECK ON PATTERN
67	W 2.313	Steel Detachable	6 TO 15	NEED TO CALL CHECK ON PATTERN
67	XH 2.313	Steel Detachable	6 TO 15	NEED TO CALL CHECK ON PATTERN
70	2.013	Steel Detachable	6 TO 15	
72	2.025	Steel Detachable	6 TO 15	
S	2.906	Steel Detachable	6 TO 15	

CHAIN NO.	PITCH	TYPE OF CHAIN	FLAME CUT	C.I.C.R.
WH 78	2.609	Welded Steel	6 TO 30	5-38,40,42-46,48,52,55
WR 78	2.609	Welded Steel	6 TO 30	5-38,40,42-46,48,52,55
WH 82	3.075	Welded Steel	6 TO 30	6-22,24-28,30-32,34,38,40,42,48
WR 82	3.075	Welded Steel	6 TO 30	6-22,24-28,30-32,34,38,40,42,48
WD 102	5.000	Welded Steel	6 TO 24	6-2,22,24
WD 104	6.000	Welded Steel	6 TO 20	5 TO 13
WR 106	6.000	Welded Steel	6 TO 20	8-11,13,15
WD 110	6.000	Welded Steel	5 TO 20	6-14,16,19,19HT,23HT,24,29HT
WH 110	6.000	Welded Steel	6 TO 20	6-14,16,19,19HT,23HT,24,29HT
WR 110	6.000	Welded Steel	6 TO 20	6-14,16,19,19HT,23HT,24,29HT
WD 112	8.000	Welded Steel	6 TO 12	7,8,10
WD 116	8.000	Welded Steel	6 TO 12	6,7,8,9
WD 118	8.000	Welded Steel	6 TO 12	7,8
WD 120	6.000	Welded Steel	6 TO 12	6,8,9,10
WD 122	8.000	Welded Steel	6 TO 12	7
WH 124	4.000	Welded Steel	6 TO 18	9-12,14,16,20,24
WR 124	5.000	Welded Steel	6 TO 18	9-12,14,16,20,24
WH 132	6.050	Welded Steel	6 TO 20	5,6,8-16,18,19,19HT,20
WR 132	6.050	Welded Steel	6 TO 20	5,6,8-16,18,19,19HT,20
WH 150	6.050	Welded Steel	6 TO 20	5,6,8-16,18,19,19HT,20
WR 150	6.050	Welded Steel	6 TO 20	5,6,8-16,18,19,19HT,20
WD 480	8.050	Welded Steel	6 TO 12	6,7,8,9,10

**Allied-Locke Industries Inc.**

... chain - sprockets - buckets

**Toll Free:**

Phone: 800-435-7752

Fax: 800-462-3130

**Local:**

Phone: 815-288-1471

Fax: 815-288-7945

[www.alliedlocke.com](http://www.alliedlocke.com)



# FLAME CUT, CAST IRON CHILLED RIM AVAILABLE SIZES

CHAIN NO.	FITCH	TYPE OF CHAIN	FLAME CUT	C.I.C.R.
SS 81 X	2.009	Elevator & Conveyor Chain	6 TO 30	5-38,40,42,43-46,48,52,55
SS 102 B	4.000	Elevator & Conveyor Chain	6 TO 19	6-20,22,24
SS 110	6.000	Elevator & Conveyor Chain	6 TO 16	6-14,16,19,19HT,23HT,24,25HT
SS 111	4.750	Elevator & Conveyor Chain	7 TO 12	7-18,20,24
SS 131	3.075	Elevator & Conveyor Chain	6 TO 20	6-22,24-28,30-32,34,38,40,42,48
MISR 149	4.000	Elevator & Conveyor Chain	6 TO 17	6,8,10-12,16,17
SS 150+	6.050	Elevator & Conveyor Chain	5 TO 20	5,6,8-16,18,19,19HT,20
SS 188	2.009	Elevator & Conveyor Chain	6 TO 30	5-38,40,42,43-46,48,52,55
MISR 303	3.000	Elevator & Conveyor Chain	7 TO 12	
SS 856	6.000	Elevator & Conveyor Chain	7 TO 19	7,8,10-16,19
SS 857	6.000	Elevator & Conveyor Chain	7 TO 13	
SS 859	6.000	Elevator & Conveyor Chain	9 TO 13	13
MISR 944+	6.000	Elevator & Conveyor Chain	6 TO 10	
MISR 996	6.000	Elevator & Conveyor Chain	6 TO 20	6-10,12,13,15,20
MISR 1114	6.000	Elevator & Conveyor Chain	5 TO 18	5-16,18
MISR 1116	6.000	Elevator & Conveyor Chain	5 TO 18	5-16,18
MISR 1539	3.075	Elevator & Conveyor Chain	6 TO 30	6-18,20-22,24,26,28,30,32-38,40,42,48,55
MISR 1617	6.000	Elevator & Conveyor Chain	6 TO 15	6-10,12,15
MISR 2184 P	6.000	Elevator & Conveyor Chain	6 TO 16	6,8,11-14,16
MISR 2188	4.000	Elevator & Conveyor Chain	6 TO 15	6,8,10,12,15
MISR 3013	3.000	Elevator & Conveyor Chain	6 TO 24	6-16,18-20,22,24
MISR 4013	4.000	Elevator & Conveyor Chain	5 TO 27	5-12,14-16,18,19,24,27
MISR 4019	4.000	Elevator & Conveyor Chain	5 TO 27	5-12,14-16,18,19,24,27
MISR 4119	4.000	Elevator & Conveyor Chain	6 TO 16	
MISR 4216	4.000	Elevator & Conveyor Chain	7 TO 20	7,9,12,16,18,19,20,24
MISR 4328	4.000	Elevator & Conveyor Chain	6 TO 20	6,8,10-12,16,17
MISR 6018	6.000	Elevator & Conveyor Chain	5 TO 20	5-16,18
MISR 6238	6.000	Elevator & Conveyor Chain	6 TO 15	6-10,12,15

CHAIN NO.	FITCH	TYPE OF CHAIN	FLAME CUT	C.I.C.R.
MIXS 88 B	5.750	Drive Chain	6 TO 20	
MIXS 881	2.009	Drive Chain	6 TO 30	5 TO 35
MIXS 882	2.009	Drive Chain	6 TO 30	5 TO 35
MIXS 1031	3.075	Drive Chain	6 TO 20	6-18,20-22,24,26,28,30,32,33-38,40,42,48,55
MIXS 1242	4.063	Drive Chain	6 TO 18	8,9,11-14,18,27,30,32,37
MIXS 1245	4.073	Drive Chain	6 TO 18	8,9,11-14,18,27,30,32,37
MIXS 2070	2.000	Drive Chain	6 TO 18	
MIXS 3011	3.067	Drive Chain	6 TO 20	
MIXS 3075	3.075	Drive Chain	6 TO 20	6-18,20-22,24,26,28,30,32-38,40,42,48,55
MIXS 3514	3.900	Drive Chain	6 TO 20	
MIXS 4522	4.900	Drive Chain	8 TO 20	
MIXS 5031	5.000	Drive Chain	8 TO 15	
MIXS 6042	6.000	Drive Chain	6 TO 16	
MIS 6065	6.000	Drive Chain	6 TO 16	

**Allied-Locke Industries Inc.**

... the company that delivers

**Toll Free:**

Phone: 800-435-7752

Fax: 800-462-3130

**Local:**

Phone: 815-288-1471

Fax: 815-288-7945

[www.alliedlocke.com](http://www.alliedlocke.com)

# FLAME CUT, CAST IRON CHILLED RIM AVAILABLE SIZES



CHAIN NO.	PITCH	TYPE OF CHAIN	FLAME CUT	C.I.C.R.
X 348	3.031	Drop Forged	4 TO 7	4,5,6, 10, 12
X 458	4.031	Drop Forged	4 TO 7	4 TO 10
468	4.031	Drop Forged	4 TO 7	4 TO 8
658	6.031	Drop Forged	4 TO 7	6,8,9, 10, 12
678	6.031	Drop Forged	4 TO 7	4,5,6,8
X 678	6.031	Drop Forged	4 TO 7	4,5,6,8
698	6.031	Drop Forged	4 TO 7	5 TO 8
9118	9.031	Drop Forged	4 TO 7	
9148	9.031	Drop Forged	4 TO 7	

CHAIN NO.	PITCH	TYPE OF CHAIN	FLAME CUT	C.I.C.R.
C 55	1.631	Combination Chain	5 TO 25	6-24,26-28,30,32,35,36,38-40, 62,68
C 55 L	1.631	Combination Chain	5 TO 25	6-24,26-28,30,32,35,36,38-40, 62,68
C 60	2.307	Combination Chain	6 TO 18	5-20,22,24-27,32-35, 41,44
C 77	2.308	Combination Chain	6 TO 15	5-20,22,24-27,32-35, 41,44
C 102 B	4.000	Combination Chain	6 TO 19	6-20,22,24
C 102 1/2	4.040	Combination Chain	6 TO 19	8, 10-16, 18-20,22,24
C 110	6.000	Combination Chain	6 TO 16	6-14, 16, 19, 19HT,23HT,24,26HT T INDICATES HURTING TOOTH
C 111	4.760	Combination Chain	7 TO 12	7-18,20,24
C 111 C	4.760	Combination Chain	7 TO 12	7-18,20,24
C 131	3.075	Combination Chain	6 TO 20	6-22, 24-28,30-32,34,38, 40,42,48
C 132	6.050	Combination Chain	6 TO 12	5,6,8-16, 18, 19, 19HT,20
MBP 132	6.050	Combination Chain	6 TO 12	5,6,8-16, 18, 19, 19HT,20
MBP 132 C	6.050	Combination Chain	6 TO 12	5,6,8-16, 18, 19, 19HT,20
PW 132	6.050	Combination Chain	6 TO 12	5,6,8-16, 18, 19, 19HT,20
C 133	6.000	Combination Chain	6 TO 19	6,8,11,19
BRH 188	2.609	Combination Chain	6 TO 30	5-38,40,42-46,48, 62,65
C 188	2.609	Combination Chain	6 TO 30	5-38,40,42-46,48, 62,65
MIW 188	2.609	Combination Chain	6 TO 30	5-38,40,42-46,48, 62,65
MIWS 188	2.609	Combination Chain	6 TO 30	5-38,40,42-46,48, 62,65

CHAIN NO.	PITCH	TYPE OF CHAIN	FLAME CUT	C.I.C.R.
H 60	2.308	Mill Chain	5 TO 44	5-20,22,24-27,32-35, 41,44
H 74	2.609	Mill Chain	5 TO 65	5-38,40,42-46,48, 62,65
H 78	2.609	Mill Chain	5 TO 65	5-38,40,42-46,48, 62,65
H 79	2.609	Mill Chain	5 TO 65	5-38,40,42-46,48, 62,65
H 82	3.075	Mill Chain	6 TO 48	6-22, 24-28,30-32,34,38, 40,42,48
H 87	4.000	Mill Chain	6 TO 48	
H 124	4.000	Mill Chain	7 TO 28	7-18,20,24,28

**Allied-Locke Industries Inc.**

... reach for the star of quality

**Toll Free:**

Phone: 800-435-7752

Fax: 800-462-3130

**Local:**

Phone: 815-288-1471

Fax: 815-288-7945

[www.alliedlocke.com](http://www.alliedlocke.com)



# FLAME CUT, CAST IRON CHILLED RIM AVAILABLE SIZES

CHAIN NO.	FITCH	TYPE OF CHAIN	FLAME CUT	C.I.C.R.
H 102	5.000	Drag Chain	7 TO 12	6 TO 12
H 104	6.000	Drag Chain	7 TO 12	5 TO 12
H 110	6.000	Drag Chain	6 TO 12	6 TO 12
H 112	8.000	Drag Chain	7 TO 12	6 TO 9
H 116	8.000	Drag Chain	7 TO 12	
H 120	6.000	Drag Chain	7 TO 12	6 TO 13
H 480	8.000	Drag Chain	7 TO 12	6 TO 12,16
6104	6.000	Drag Chain	7 TO 12	5 TO 10
6110	6.000	Drag Chain	6 TO 12	6 TO 12
8480	8.000	Drag Chain	7 TO 12	6 TO 12,16

CHAIN NO.	FITCH	TYPE OF CHAIN	FLAME CUT	C.I.C.R.
442	1.375	400 Class Pinle	7 TO 25	8,9,20,24,26
445	1.630	400 Class Pinle	5 TO 25	6-27,28,30,32,35,36,38,39,40,52,58
452	1.906	400 Class Pinle	7 TO 25	7-16,18,20,22,24
455	1.630	400 Class Pinle	5 TO 25	6-27,28,30,32,35,36,38,39,40,52,58
462	1.634	400 Class Pinle	6 TO 25	6-20,22,24,26,28,30,32,38,40,42,45,48
477	2.308	400 Class Pinle	6 TO 15	5-20,22,24,25,26,27,32,33,34,35,41,44
488	2.609	400 Class Pinle	6 TO 30	5 TO 35
4103	3.075	400 Class Pinle	6 TO 20	6-22,24-28,30-32,34,38,40,42,48

CHAIN NO.	FITCH	TYPE OF CHAIN	FLAME CUT	C.I.C.R.
720	6.000	700 Class Pinle	6 TO 40	6,8-13,15-19,21,23,25,40,41,HUNTING TOOTH AVAILABLE
MS 720 S	6.000	700 Class Pinle	6 TO 40	6,8-13,15-19,21,23,25,40,41,HUNTING TOOTH AVAILABLE
MS 720 S	6.000	700 Class Pinle	6 TO 40	6,8-13,15-19,21,23,25,40,41,HUNTING TOOTH AVAILABLE
730	6.000	700 Class Pinle	6 TO 40	6,8-16,19
MS 730	6.000	700 Class Pinle	6 TO 40	6,8-16,19
788	2.609	700 Class Pinle	6 TO 30	5 TO 35

CHAIN NO.	FITCH	TYPE OF CHAIN	FLAME CUT	C.I.C.R.
25	.902	Cast Detachable	12 TO 25	6,10
32	1.154	Cast Detachable	6 TO 25	9-11,13,16,22,25,38
33	1.394	Cast Detachable	6 TO 25	
42	1.375	Cast Detachable	6 TO 25	8,9,20,24,26
45	1.630	Cast Detachable	6 TO 25	6-24,26-28,30,32,35,36,38-40,52,58
S 51	1.155	Cast Detachable	6 TO 25	11,15,17,21
S 51	1.136	Cast Detachable	6 TO 25	
52	1.906	Cast Detachable	6 TO 25	7-16,18,20,22,24
55	1.631	Cast Detachable	6 TO 25	6-24,26-28,30,32,35,36,38-40,52,58
57	2.308	Cast Detachable	6 TO 25	5-20,22,24-27,32-35,41,44
S 62	1.654	Cast Detachable	6 TO 25	6-20,22,24,26,28,30,32,38,40,42,45,48
S 62	1.654	Cast Detachable	6 TO 25	
67	2.308	Cast Detachable	6 TO 15	5-20,22,24-27,32-35,41,44
75	2.609	Cast Detachable	6 TO 15	5-38,40,42-46,48,52,55
77	2.297	Cast Detachable	6 TO 15	5-20,22,24-27,32-35,41,44
78	2.609	Cast Detachable	6 TO 30	5-38,40,42-46,48,52,55
88	2.609	Cast Detachable	6 TO 30	5-38,40,42-46,48,52,55
103	3.075	Cast Detachable	6 TO 20	6-22,24-28,30-32,34,38,40,42,48
124	4.063	Cast Detachable	6 TO 18	9-12,14,16,20,24